

# **DSC Change Proposal Document**

Customers to fill out all of the information in the sections coloured Xoserve to fill out all of the information in the sections coloured

# **A1: General Details**

Change Reference:	5515			
Change Title:	Hydeploy close	Hydeploy close down (links to XRN 5014)		
Date Raised:	12/05/2022			
	Organisation:	NGN		
Sponsor	Name:	Tracey Saunders		
Representative Details:	Email:	trsau	trsaunders@northerngas.co.uk	
Details.	Telephone:	07580 215743		
	Name:	Simon Harris		
Xoserve	Email:	<u>simor</u>	simon.harris@xoserve.com	
Representative Details:	Telephone:	0121 229 2642		
Business Owner				
Change Statue	Proposal		⊠ With DSG	□ Out for Review
Change Status:	□ Voting			□ Rejected

### **A2: Impacted Parties**

	Shipper	☑ Distribution Network Operator	
Customer Class(es):	□ NG Transmission	□ IGT	
().		$\Box$ Other <please details="" here="" provide=""></please>	
Justification for Customer Class(es) selection	Process/system changes implemented under XRN5014 affected Shipper and Distribution Networks.		

# A3: Proposer Requirements / Final (redlined) Change

	HyDeploy2 Live Pilot finishes at the end of June 2022 and the	
Problem	participating Supply Meter Points (SMPs) need to have their	
Statement:	AQ Backstop removed and treated as standard SMPs to feed	
	BAU processes (AQ Calc etc).	



Change Description:	As part of XRN5014, the effected HyDeploy2 Live Pilot had an "AQ integrity of the AQ while the supply 20% Hydrogen Blend. HyDeploy2 Live Pilot has now finits 'AQ Backstop' to be removed, ensidetrimental impact on the SMP AC balancing/settlement process has project plan. Discussion are ongoing and confir invoicing payments will stop will di change as both would need to be Confirm that no backend processe	Backstop" set to retain the y meter point was consuming shed, so there is a need for the sured that there has been no Qs values, and the been unaffected, as per original mation from NGN when the ictate the delivery date for this in alignment.	
	flag (as flag needs to remain) to tr standard MPRN.	eat these MPRN's differently to a	
Proposed Release:	Minor/Adhoc release – Must be completed and aligned with HyDeploy2 project closedown		
Proposed	⊠ 10 Working Days	□ 15 Working Days	
Consultation Period:	□ 20 Working Days	Other [Specify Here]	

## A4: Benefits and Justification

Benefit Description:	Ensuring SMPs are included in BAU processing to calculate accurate AQ values moving forward to deem into Gemini for allocation and settlement purposes. What, if any, are the tangible benefits of introducing this change? What, if any, are	
	the intangible benefits of introducing this change?	
Benefit Realisation:	First successful AQ Calculation following removal of the "AQ Backstop".	
	When are the benefits of the change likely to be realised?	
Benefit	Reads being successfully loaded by the Shipper in effected SMPs.	
Dependencies:	Please detail any dependencies that would be outside the scope of the change, this could be reliance on another delivery, reliance on some other event that the projects has not got direct control of.	

# A5: Final Delivery Sub-Group (DSG) Recommendations – Removed

(see Section C for DSG recommendations)

### **A6: Service Lines and Funding**

Service Line(s)	
-	Not known at this stage
existing	
Level of Impact	Unclear



If None please give justification	Not known at this stage			
Impacts on UK Link Manual/ Data Permissions Matrix	Not known at this stage			
Level of Impact	Unclear			
If None please give justification				
	Customer Classes/ Funding	Delivery of Change	On-going Budget Amendment	
	□ Shipper	XX %	XX %	
Funding Classes	National Grid Transmission	XX %	XX %	
	Distribution Network Operator	XX %	XX %	
	🗆 IGT	XX %	XX %	
	□ Other <please specify=""></please>	XX %	XX %	
ROM or funding details:		·		
Funding Comments:	Decarbonisation Funded project			

#### A7: ChMC Recommendation – Initial Review

Change Status:		□ Reject		□ Defer
DSC Consultation Issue:	□ Yes		⊠ No	

Please send the completed forms to: <a href="mailto:uklink@xoserve.com">uklink@xoserve.com</a>



# **Version Control**

### Document

Version	Status	Date	Author(s)	Remarks
1.1	Approved	09/06/2022	Molly Haley	Updated with outcome from ChMC on 8/6/22