



# **Automated AQ (Annual Quantity) & WC (Winter Consumption) Correction**

## **Version 3.0**

“Whilst every effort is made to ensure the technical accuracy of the information contained within this presentation, Xoserve can accept no responsibility for any claims (however they arise) made against the company as a result of using the information contained within this presentation”

# Background – Automated Process

- Available to the registered gas Shipper/Supplier of a site to challenge the current Rolling & Formula Year AQ/SOQ and Winter Consumption.
- Five bespoke reasons available to use with set criteria for each outlined in Uniform Network Code (UNC).
- Requests are submitted in the form of an .AQI (C41) file through the Information Exchange (IX).
- Response issued via the IX in the form of an .AQR (C43) file.
- Request must be received by M-15 (business days) to be considered for the first of the next month.
- Request can be cancelled by M-8 (business days) using a .AQI (C42) file.

# Available Reasons – Automated Process

Reason Code 1:	Confirmed Theft
Reason Code 2:	Change in Consumer Plant
Reason Code 3:	Commencement of New Business
Reason Code 4:	Tolerance Change
Reason Code 5:	Winter Consumption

# Overview: Reason Code 1 – Confirmed Theft

## Purpose -

To apply a change to the Formula Year and Rolling AQ/SOQ following a confirmed theft of gas.

## Validations -

An accepted TOG (Theft of Gas) contact in CMS (Contact Management System).

## UNC Reference -

G.1.6.21a

# Overview: Reason Code 2 – Change in Consumer Plant

## Purpose -

To apply a change to the Formula Year and Rolling AQ/SOQ following a change in consumer plant resulting in a material change in the volume of gas consumed.

## Validations -

None

## UNC Reference -

G.1.6.21b

# Overview: Reason Code 3 – Commencement New Business

## **Purpose -**

To apply a change to the Formula Year and Rolling AQ/SOQ following the commencement of new business.

## **Validations -**

To be raised within three months of a Shipper/Suppliers confirmation effective date.

## **UNC Reference -**

G.1.6.21c

# Overview: Reason Code 4 – Tolerance Change

## Purpose -

To apply an uplift to the Formula Year and Rolling AQ/SOQ to enable a valid Meter Read to be accepted/loaded onto UK Link.

## Validations -

The Meter Read submission will fail 'MRE01027 - Reading breached the Upper Outer tolerance' validation.

## UNC Reference -

G.1.6.22

# Overview: Reason Code 5 – Winter Consumption

## Purpose -

To apply or change the current Winter Consumption value.

## Validations -

The requested Winter Consumption value must be less than the current Rolling AQ.



# Hints and Tips (based on FAQ's)

- The requested AQ when using AQ Correction reasons 1 to 3 should be a reasonable estimate of what the site will consume at full capacity.
- The AQ Correction process should not be used for vacant sites and the requested AQ should not be '1'.
- When using AQ Correction reason 4 the .AQI and .U01 files can be submitted in conjunction. The read will then be validated against the new requested AQ and if both files are accepted the read will be loaded and the change in AQ applied.
- The use of the automated AQ Correction process is reported to OFGEM.